
A BRIEF GUIDE TO AUDIO CONFERENCING IN HIGHER ED

CLASSROOMS







CLASSROOMS // OPTION A

Multicomponent system

May include

Podium or lapel mic for the instructor

Distributed mics for students

External DSP

Mixing board

Cables

External speakers


Requires UC&Cequipped computer



CLASSROOMS // OPTION A

Multicomponent system

The green circles show approximate voice pickup zones. Note it will be very difficult for remote participants to hear on-site participants moving outside the circles — to work at displays or huddle in small breakout groups.



CLASSROOMS // OPTION A

Multicomponent system

This is the traditional approach to audio conferencing technology for classrooms. It can employ a range of microphones (including podium or lapel, tabletop, in-ceiling and mics hanging from the ceiling) connected by cables to a DSP, mixing board (some systems) and computer.

Pickup for the instructor The most common methods are a separate podium or lapel microphone.

Pickup for students A common solution is multiple desktop omnidirectional microphones. Other strategies may include one or more in-ceiling beamforming mic arrays or hanging omnidirectional mics.

Installation Can entail a range of procedures from creating pathways for cables for desktop and podium mics to installing in-ceiling mic arrays – usually requiring skilled technicians.

Esthetics Desktop mics and cables can cause clutter. Installed in-ceiling systems are unobtrusive and can bring a polished premium look (with a price to match).

Calibration and mixing Calibration can be a challenge in a classroom. Getting the levels right so the instructor and students are balanced and can be heard by remote participants may require a technician and even real-time mixing of levels (input and output). Changing the room configuration will likely require recalibration.

Performance A properly calibrated and mixed system can provide professional grade performance. This can be diminished if participants talk away from their mics or move away from the prescribed pickup zones to work at displays. Accommodating more dynamic lessons (where participants move about the space and work at displays) would entail significant changes (reinstallation) to the hardware setup.

Price range Prices for hardware and installation of traditional systems range widely, from <US\$5,000—>US\$100,000. Be sure to budget for ongoing maintenance and calibration (many providers offer service plans).

CLASSROOMS // OPTION B

Virtual microphone system

Includes

2 wall-mounted integrated microphone and speaker bars

Cables

Connect module

Requires UC&Cequipped computer




CLASSROOMS // OPTION B

Virtual microphone system

The HDL300 system employing virtual microphones provides full-room pickup.

On-site participants can be heard by remote participants from anywhere in the room.



CLASSROOMS // OPTION B

Virtual microphone system

Virtual microphones are available only in the Nureva Dual HDL300 system. The key components of the system are two wall-mounted integrated microphone and speaker bars. The Dual HDL300 system employs an entirely new approach to classroom microphones, filling the space with 16,384 virtual microphones (8,192 per bar) that pick-up participant voices no matter where they move in the room (up to 30' x 50' or 9.14 x 15.24 m).

Advanced signal processing capability handling 25,000 MIPS allows the system to process sound from all of its virtual mics in real time. It focuses on the cleanest sound sources, without gating or clipping, and optimizes them for distortion-free, natural-sounding conversations.

Pickup for instructor and students There is no need for a dedicated microphone for the instructor. The Dual HDL300 provides true full-room pickup. The instructor and other participants can be heard throughout the entire space.

Installation The two units can be installed on the wall in less than 60 minutes. No specialized technicians are required.

Esthetics The two 60" x 5.9" (152.4 x 15 cm) wall-mounted units are sleek and unobtrusive. There is no need for external microphones, speakers or cabling.

Calibration and mixing Calibration is automatic no matter how a room is configured or where participants face or move. The system's Nureva Room Manager feature allows for optional adjustment of audio levels and integration with external speakers. It also provides regular improvements to the system through automatic firmware updates.


Performance The Dual HDL300 provides professional grade pickup and output.


Price US\$5,499 MSRP. The Dual HDL300 system can be installed by in-house personnel so no additional budget for installation is required.

DUAL HDL300 SYSTEM // USE CASES

More than just classrooms

You've learned about the features and benefits of traditional multicomponent and virtual microphone systems for audio conferencing in classrooms, now get these additional guides to see how they compare in other educational environments.





Dual HDL300 system

The Dual HDL300 audio conferencing system helps facilitate easier and more interactive remote learning in large spaces. You get easy installation, autocalibration and true full-room pickup at a budget-friendly price.

